

Bel Co.



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
[www.epa.state.oh.us](http://www.epa.state.oh.us)

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

March 25, 2008

American Energy Corp Century Mine  
43521 Mayhugh Hill Rd Twp Hwy 88  
Beallsville, OH 43716

Dear Permittee:

A Preliminary Compliance Review was conducted on your Discharge Monitoring Report (DMR) submitted on March 19, 2008. As detailed at the end of this letter, screening of your submitted DMR has identified possible compliance issues. Please review the information and take the appropriate action:

- If there were errors in the original DMR submission, submit a revised DMR to Ohio EPA by the close of business on the 30th of this month. Include a specific comment on the DMR for each revision.
- If you believe that there is an error due to technical issues that cannot be corrected by resubmission, contact Jamie Roberts, eDMR Coordinator, at 614-387-3367 or [james.roberts@epa.state.oh.us](mailto:james.roberts@epa.state.oh.us).
- If you believe the identified compliance issues are in error based on your understanding of your NPDES permit conditions, contact your Ohio EPA District Representative, Abbot Stevenson, at 1-800-686-7330 or [Abbot.Stevenson@epa.state.oh.us](mailto:Abbot.Stevenson@epa.state.oh.us)
- Part III-12 of your NPDES permit requires that you submit a letter of explanation outlining the actions you have taken or are taking to correct all instances of non-compliance. If you have not already done so, please submit the letter to your Ohio EPA District representative at the following address:  
Abbot Stevenson  
Ohio EPA - Southeast District Office  
2195 Front Street  
Logan, Ohio 4313  
1-800-686-7330 or [Abbot.Stevenson@epa.state.oh.us](mailto:Abbot.Stevenson@epa.state.oh.us)
- The following web address contains useful eDMR submission information including definitions of limit violations, non-numeric violations, frequency violations, calculation of average concentrations, and correct A-code use:  
<http://www.epa.state.oh.us/dsw/swims/eDMR/eDMR.html>

Sincerely,

Ed Swindall  
Supervisor, Permits Compliance Unit  
Ohio EPA, Division of Surface Water

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director



State of Ohio Environmental Protection Agency

**STREET ADDRESS:**

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

**MAILING ADDRESS:**

P.O. Box 1049  
Columbus, OH 43216-1049

**Preliminary Compliance Report**

**Facility:** American Energy Corp Century Mine

**Permit No.:** OIL00091\*GD

**Report Period:** February 2008

**Date Received:** 3/19/2008

Station	Type	Date	Reporting Code	Parameter	Limit Type	Permit Limit	Reported Value
017	Freq	2/2/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/3/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/9/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/10/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/16/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/17/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/23/2008	00083	Color, Severity	1/Day	1	0
017	Freq	2/24/2008	00083	Color, Severity	1/Day	1	0
015	Limit	2/1/2008	01055	Manganese, Total (Mn)	Monthly Conc.	2000	2050.
017	Freq	2/2/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/3/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/9/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/10/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/16/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/17/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/23/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/24/2008	01330	Odor, Severity	1/Day	1	0
017	Freq	2/2/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/3/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/9/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/10/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/16/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/17/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/23/2008	01350	Turbidity, Severity	1/Day	1	0
017	Freq	2/24/2008	01350	Turbidity, Severity	1/Day	1	0

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director